



DIN 7991-A2


VITE TESTA SVASATA
CAVA ESALOBATA

DIN 7991

ISO 14581

UNI 5933

TITANIO ASTM B381
TI 6Al 4V - GRADO 5



Codice	D (mm.)	d	L (mm.)	C (mm.)	S (mm.)	s (mm.)	CH
057991A20300600	6	M3	6	-	1.7	1.2	T10
057991A20300700	6	M3	7	-	1.7	1.2	T10
057991A20300800	6	M3	8	-	1.7	1.2	T10
057991A20301000	6	M3	10	-	1.7	1.2	T10
057991A20301200	6	M3	12	-	1.7	1.2	T10
057991A20301400	6	M3	14	2	1.7	1.2	T10
057991A20301500	6	M3	15	3	1.7	1.2	T10
057991A20301600	6	M3	16	4	1.7	1.2	T10
057991A20301700	6	M3	17	5	1.7	1.2	T10
057991A20301800	6	M3	18	6	1.7	1.2	T10
057991A20302000	6	M3	20	8	1.7	1.2	T10
057991A20302200	6	M3	22	10	1.7	1.2	T10
057991A20302500	6	M3	25	13	1.7	1.2	T10
057991A20303000	6	M3	30	18	1.7	1.2	T10
057991A20400600	8	M4	6	-	2.4	1.8	T15
057991A20400800	8	M4	8	-	2.4	1.8	T15
057991A20401000	8	M4	10	-	2.4	1.8	T15
057991A20401200	8	M4	12	-	2.4	1.8	T15
057991A20401500	8	M4	15	1	2.4	1.8	T15
057991A20401600	8	M4	16	2	2.4	1.8	T15
057991A20401700	8	M4	17	3	2.4	1.8	T15
057991A20401800	8	M4	18	4	2.4	1.8	T15
057991A20402000	8	M4	20	6	2.4	1.8	T15
057991A20402200	8	M4	22	8	2.4	1.8	T15
057991A20402500	8	M4	25	11	2.4	1.8	T15
057991A20403000	8	M4	30	16	2.4	1.8	T15
057991A20403500	8	M4	35	21	2.4	1.8	T15
057991A20404000	8	M4	40	26	2.4	1.8	T15
057991A20404500	8	M4	45	31	2.4	1.8	T15
057991A20405000	8	M4	50	36	2.4	1.8	T15
057991A20500800	10	M5	8	-	2.8	2.3	T20
057991A20501000	10	M5	10	-	2.8	2.3	T20
057991A20501200	10	M5	12	-	2.8	2.3	T20
057991A20501300	10	M5	13	-	2.8	2.3	T20
057991A20501400	10	M5	14	-	2.8	2.3	T20
057991A20501500	10	M5	15	-	2.8	2.3	T20
057991A20501600	10	M5	16	-	2.8	2.3	T20
057991A20501700	10	M5	17	1	2.8	2.3	T20
057991A20501800	10	M5	18	2	2.8	2.3	T20
057991A20502000	10	M5	20	4	2.8	2.3	T20
057991A20502200	10	M5	22	6	2.8	2.3	T20
057991A20502500	10	M5	25	9	2.8	2.3	T20
057991A20502800	10	M5	28	12	2.8	2.3	T20
057991A20503000	10	M5	30	14	2.8	2.3	T20
057991A20503500	10	M5	35	16	2.8	2.3	T20

Codice	D (mm.)	d	L (mm.)	C (mm.)	S (mm.)	s (mm.)	CH
057991A20504000	10	M5	40	24	2.8	2.3	T20
057991A20504500	10	M5	45	29	2.8	2.3	T20
057991A20505000	10	M5	50	34	2.8	2.3	T20
057991A20505500	10	M5	55	39	2.8	2.3	T20
057991A20506000	10	M5	60	44	2.8	2.3	T20
057991A20600800	12	M6	8	-	3.3	2.5	T30
057991A20601000	12	M6	10	-	3.3	2.5	T30
057991A20601200	12	M6	12	-	3.3	2.5	T30
057991A20601500	12	M6	15	-	3.3	2.5	T30
057991A20601600	12	M6	16	-	3.3	2.5	T30
057991A20601800	12	M6	18	-	3.3	2.5	T30
057991A20602000	12	M6	20	2	3.3	2.5	T30
057991A20602500	12	M6	25	7	3.3	2.5	T30
057991A20602600	12	M6	26	8	3.3	2.5	T30
057991A20603000	12	M6	30	12	3.3	2.5	T30
057991A20603300	12	M6	33	15	3.3	2.5	T30
057991A20603500	12	M6	35	17	3.3	2.5	T30
057991A20604000	12	M6	40	22	3.3	2.5	T30
057991A20604500	12	M6	45	27	3.3	2.5	T30
057991A20605000	12	M6	50	32	3.3	2.5	T30
057991A20605500	12	M6	55	37	3.3	2.5	T30
057991A20606000	12	M6	60	42	3.3	2.5	T30
057991A20606500	12	M6	65	47	3.3	2.5	T30
057991A20607000	12	M6	70	52	3.3	2.5	T30
057991A20607500	12	M6	75	47	3.3	2.5	T30
057991A20608000	12	M6	80	62	3.3	2.5	T30
057991A20608500	12	M6	85	67	3.3	2.5	T30
057991A20609000	12	M6	90	72	3.3	2.5	T30
057991A20609500	12	M6	95	77	3.3	2.5	T30
057991A20610000	12	M6	100	82	3.3	2.5	T30
057991A20801000	16	M8	10	-	4.4	3.5	T40
057991A20801200	16	M8	12	-	4.4	3.5	T40
057991A20801500	16	M8	15	-	4.4	3.5	T40
057991A20801600	16	M8	16	-	4.4	3.5	T40
057991A20802000	16	M8	20	-	4.4	3.5	T40
057991A20802500	16	M8	25	3	4.4	3.5	T40
057991A20803000	16	M8	30	8	4.4	3.5	T40
057991A20803500	16	M8	35	13	4.4	3.5	T40
057991A20803800	16	M8	38	16	4.4	3.5	T40
057991A20804000	16	M8	40	18	4.4	3.5	T40
057991A20804400	16	M8	44	22	4.4	3.5	T40
057991A20804500	16	M8	45	23	4.4	3.5	T40
057991A20805000	16	M8	50	28	4.4	3.5	T40
057991A20805500	16	M8	55	33	4.4	3.5	T40
057991A20806000	16	M8	60	38	4.4	3.5	T40
057991A20806500	16	M8	65	43	4.4	3.5	T40
057991A20807000	16	M8	70	48	4.4	3.5	T40
057991A20807500	16	M8	75	53	4.4	3.5	T40
057991A20808000	16	M8	80	58	4.4	3.5	T40
057991A20808500	16	M8	85	63	4.4	3.5	T40
057991A20809000	16	M8	90	68	4.4	3.5	T40
057991A20809500	16	M8	95	73	4.4	3.5	T40
057991A20810000	16	M8	100	78	4.4	3.5	T40
057991A20810500	16	M8	105	83	4.4	3.5	T40
057991A20811000	16	M8	110	88	4.4	3.5	T40
057991A20811500	16	M8	115	93	4.4	3.5	T40
057991A20812000	16	M8	120	98	4.4	3.5	T40
057991A21001000	20	M10	10	-	5.5	4.5	T50
057991A21001500	20	M10	15	-	5.5	4.5	T50
057991A21001600	20	M10	16	-	5.5	4.5	T50
057991A21002000	20	M10	20	-	5.5	4.5	T50
057991A21002500	20	M10	25	-	5.5	4.5	T50
057991A21003000	20	M10	30	4	5.5	4.5	T50
057991A21003500	20	M10	35	9	5.5	4.5	T50
057991A21003800	20	M10	38	12	5.5	4.5	T50
057991A21004000	20	M10	40	14	5.5	4.5	T50

Codice	D (mm.)	d	L (mm.)	C (mm.)	S (mm.)	s (mm.)	CH
057991A21004500	20	M10	45	19	5.5	4.5	T50
057991A21005000	20	M10	50	24	5.5	4.5	T50
057991A21005500	20	M10	55	29	5.5	4.5	T50
057991A21006000	20	M10	60	34	5.5	4.5	T50
057991A21006500	20	M10	65	39	5.5	4.5	T50
057991A21007000	20	M10	70	44	5.5	4.5	T50
057991A21007500	20	M10	75	49	5.5	4.5	T50
057991A21008000	20	M10	80	54	5.5	4.5	T50
057991A21008500	20	M10	85	59	5.5	4.5	T50
057991A21009000	20	M10	90	64	5.5	4.5	T50
057991A21009500	20	M10	95	69	5.5	4.5	T50
057991A21010000	20	M10	100	74	5.5	4.5	T50
057991A21010500	20	M10	105	79	5.5	4.5	T50
057991A21011000	20	M10	110	84	5.5	4.5	T50
057991A21011500	20	M10	115	89	5.5	4.5	T50
057991A21012000	20	M10	120	94	5.5	4.5	T50
057991A21012500	20	M10	125	99	5.5	4.5	T50
057991A21013000	20	M10	130	104	5.5	4.5	T50
057991A21013500	20	M10	135	109	5.5	4.5	T50
057991A21014000	20	M10	140	114	5.5	4.5	T50
057991A21201000	24	M12	10	-	6.5	4.7	T55
057991A21201500	24	M12	15	-	6.5	4.7	T55
057991A21202000	24	M12	20	-	6.5	4.7	T55
057991A21202500	24	M12	25	-	6.5	4.7	T55
057991A21203000	24	M12	30	-	6.5	4.7	T55
057991A21203500	24	M12	35	5	6.5	4.7	T55
057991A21204000	24	M12	40	10	6.5	4.7	T55
057991A21204500	24	M12	45	15	6.5	4.7	T55
057991A21205000	24	M12	50	20	6.5	4.7	T55
057991A21205500	24	M12	55	25	6.5	4.7	T55
057991A21206000	24	M12	60	30	6.5	4.7	T55
057991A21206500	24	M12	65	35	6.5	4.7	T55
057991A21207000	24	M12	70	40	6.5	4.7	T55
057991A21207500	24	M12	75	45	6.5	4.7	T55
057991A21208000	24	M12	80	50	6.5	4.7	T55
057991A21208500	24	M12	85	55	6.5	4.7	T55
057991A21209000	24	M12	90	60	6.5	4.7	T55
057991A21209500	24	M12	95	65	6.5	4.7	T55
057991A21210000	24	M12	100	70	6.5	4.7	T55
057991A21210500	24	M12	105	75	6.5	4.7	T55
057991A21211000	24	M12	110	80	6.5	4.7	T55
057991A21211500	24	M12	115	85	6.5	4.7	T55
057991A21212000	24	M12	120	90	6.5	4.7	T55
057991A21212500	24	M12	125	95	6.5	4.7	T55
057991A21213000	24	M12	130	100	6.5	4.7	T55
057991A21213500	24	M12	135	105	6.5	4.7	T55
057991A21214000	24	M12	140	110	6.5	4.7	T55