





# ISO 7380-B2

VITE TESTA CILINDRICA BOMBATA  
CON CAVA ESALOBATA



ISO 7380

TITANIO ASTM B381  
TI 6Al 4V – GRADO 5

Codice	D (mm.)	d	L (mm.)	C (mm.)	S (mm.)	s (mm.)	CH
057380B20300600	6.5	M3	6	-	2	1.4	T10
057380B20300700	6.5	M3	7	-	2	1.4	T10
057380B20300800	6.5	M3	8	-	2	1.4	T10
057380B20301000	6.5	M3	10	-	2	1.4	T10
057380B20301200	6.5	M3	12	-	2	1.4	T10
057380B20301400	6.5	M3	14	-	2	1.4	T10
057380B20301500	6.5	M3	15	-	2	1.4	T10
057380B20301600	6.5	M3	16	-	2	1.4	T10
057380B20301700	6.5	M3	17	-	2	1.4	T10
057380B20301800	6.5	M3	18	-	2	1.4	T10
057380B20302000	6.5	M3	20	2	2	1.4	T10
057380B20302200	6.5	M3	22	4	2	1.4	T10
057380B20302500	6.5	M3	25	7	2	1.4	T10
057380B20303000	6.5	M3	30	12	2	1.4	T10
057380B20400600	10	M4	6	-	2.5	1.4	T20
057380B20400800	10	M4	8	-	2.5	1.4	T20
057380B20401000	10	M4	10	-	2.5	1.4	T20
057380B20401200	10	M4	12	-	2.5	1.4	T20
057380B20401500	10	M4	15	-	2.5	1.4	T20
057380B20401600	10	M4	16	-	2.5	1.4	T20
057380B20401700	10	M4	17	-	2.5	1.4	T20
057380B20401800	10	M4	18	-	2.5	1.4	T20
057380B20402000	10	M4	20	-	2.5	1.4	T20
057380B20402200	10	M4	22	2	2.5	1.4	T20
057380B20402500	10	M4	25	5	2.5	1.4	T20
057380B20403000	10	M4	30	10	2.5	1.4	T20
057380B20403500	10	M4	35	15	2.5	1.4	T20
057380B20404000	10	M4	40	20	2.5	1.4	T20
057380B20404500	10	M4	45	25	2.5	1.4	T20
057380B20405000	10	M4	50	30	2.5	1.4	T20
057380B20500800	12	M5	8	-	3	2.2	T20
057380B20501000	12	M5	10	-	3	2.2	T20
057380B20501200	12	M5	12	-	3	2.2	T20
057380B20501300	12	M5	13	-	3	2.2	T20
057380B20501400	12	M5	14	-	3	2.2	T20
057380B20501500	12	M5	15	-	3	2.2	T20
057380B20501600	12	M5	16	-	3	2.2	T20
057380B20501700	12	M5	17	-	3	2.2	T20
057380B20501800	12	M5	18	-	3	2.2	T20
057380B20502000	12	M5	20	-	3	2.2	T20
057380B20502200	12	M5	22	-	3	2.2	T20
057380B20502500	12	M5	25	3	3	2.2	T20
057380B20502800	12	M5	28	6	3	2.2	T20
057380B20503000	12	M5	30	8	3	2.2	T20
057380B20503500	12	M5	35	13	3	2.2	T20

Codice	D (mm.)	d	L (mm.)	C (mm.)	S (mm.)	s (mm.)	CH
057380B20504000	12	M5	40	18	3	2.2	T20
057380B20504500	12	M5	45	23	3	2.2	T20
057380B20505000	12	M5	50	28	3	2.2	T20
057380B20505500	12	M5	55	33	3	2.2	T20
057380B20506000	12	M5	60	38	3	2.2	T20
057380B20506500	12	M5	65	43	3	2.2	T20
057380B20507000	12	M5	70	48	3	2.2	T20
057380B20507500	12	M5	75	53	3	2.2	T20
057380B20508000	12	M5	80	58	3	2.2	T20
057380B20600800	14	M6	8	-	3.5	2.2	T30
057380B20601000	14	M6	10	-	3.5	2.2	T30
057380B20601200	14	M6	12	-	3.5	2.2	T30
057380B20601500	14	M6	15	-	3.5	2.2	T30
057380B20601600	14	M6	16	-	3.5	2.2	T30
057380B20601800	14	M6	18	-	3.5	2.2	T30
057380B20602000	14	M6	20	-	3.5	2.2	T30
057380B20602500	14	M6	25	1	3.5	2.2	T30
057380B20602600	14	M6	26	2	3.5	2.2	T30
057380B20603000	14	M6	30	6	3.5	2.2	T30
057380B20603300	14	M6	33	9	3.5	2.2	T30
057380B20603500	14	M6	35	11	3.5	2.2	T30
057380B20604000	14	M6	40	16	3.5	2.2	T30
057380B20604500	14	M6	45	21	3,5	2.2	T30
057380B20605000	14	M6	50	26	3.5	2.2	T30
057380B20605500	14	M6	55	31	3.5	2.2	T30
057380B20606000	14	M6	60	36	3.5	2.2	T30
057380B20606500	14	M6	65	41	3.5	2.2	T30
057380B20607000	14	M6	70	46	3.5	2.2	T30
057380B20607500	14	M6	75	51	3.5	2.2	T30
057380B20608000	14	M6	80	56	3.5	2.2	T30
057380B20608500	14	M6	85	61	3.5	2.2	T30
057380B20609000	14	M6	90	66	3.5	2.2	T30
057380B20609500	14	M6	95	71	3.5	2.2	T30
057380B20610000	14	M6	100	76	3.5	2.2	T30
057380B20801000	16	M8	10	-	4	2.6	T40
057380B20801200	16	M8	12	-	4	2.6	T40
057380B20801500	16	M8	15	-	4	2.6	T40
057380B20801600	16	M8	16	-	4	2.6	T40
057380B20802000	16	M8	20	-	4	2.6	T40
057380B20802500	16	M8	25	-	4	2.6	T40
057380B20803000	16	M8	30	2	4	2.6	T40
057380B20803500	16	M8	35	7	4	2.6	T40
057380B20803800	16	M8	38	10	4	2.6	T40
057380B20804000	16	M8	40	12	4	2.6	T40
057380B20804400	16	M8	44	16	4	2.6	T40
057380B20804500	16	M8	45	17	4	2.6	T40
057380B20805000	16	M8	50	22	4	2.6	T40
057380B20805500	16	M8	55	27	4	2.6	T40
057380B20806000	16	M8	60	32	4	2.6	T40
057380B20806500	16	M8	65	37	4	2.6	T40
057380B20807000	16	M8	70	42	4	2.6	T40
057380B20807500	16	M8	75	47	4	2.6	T40
057380B20808000	16	M8	80	52	4	2.6	T40
057380B20808500	16	M8	85	57	4	2.6	T40
057380B20809000	16	M8	90	62	4	2.6	T40
057380B20809500	16	M8	95	67	4	2.6	T40
057380B20810000	16	M8	100	72	4	2.6	T40
057380B20810500	16	M8	105	77	4	2.6	T40
057380B20811000	16	M8	110	82	4	2.6	T40
057380B20811500	16	M8	115	87	4	2.6	T40
057380B20812000	16	M8	120	92	4	2.6	T40
057380B21001000	18	M10	10	-	4.5	3	T50
057380B21001500	18	M10	15	-	4.5	3	T50
057380B21001600	18	M10	16	-	4.5	3	T50
057380B21002000	18	M10	20	-	4.5	3	T50
057380B21002500	18	M10	25	-	4.5	3	T50

Codice	D (mm.)	d	L (mm.)	C (mm.)	S (mm.)	s (mm.)	CH
057380B21003000	18	M10	30	-	4.5	3	T50
057380B21003500	18	M10	35	3	4.5	3	T50
057380B21003800	18	M10	38	6	4.5	3	T50
057380B21004000	18	M10	40	8	4.5	3	T50
057380B21004500	18	M10	45	13	4.5	3	T50
057380B21005000	18	M10	50	18	4.5	3	T50
057380B21005500	18	M10	55	23	4.5	3	T50
057380B21006000	18	M10	60	28	4.5	3	T50
057380B21006500	18	M10	65	33	4.5	3	T50
057380B21007000	18	M10	70	38	4.5	3	T50
057380B21007500	18	M10	75	43	4.5	3	T50
057380B21008000	18	M10	80	48	4.5	3	T50
057380B21008500	18	M10	85	53	4.5	3	T50
057380B21009000	18	M10	90	58	4.5	3	T50
057380B21009500	18	M10	95	63	4.5	3	T50
057380B21010000	18	M10	100	68	4.5	3	T50
057380B21010500	18	M10	105	73	4.5	3	T50
057380B21011000	18	M10	110	78	4.5	3	T50
057380B21011500	18	M10	115	83	4.5	3	T50
057380B21012000	18	M10	120	88	4.5	3	T50
057380B21012500	18	M10	125	93	4.5	3	T50
057380B21013000	18	M10	130	98	4.5	3	T50
057380B21013500	18	M10	135	103	4.5	3	T50
057380B21014000	18	M10	140	108	4.5	3	T50